


**THE FOLLOWING ARE THE ENGLISH TRANSLATION
OF ANNEXES TO THE INTERNATIONAL PRELIMINARY
EXAMINATION REPORT (ARTICLE 34):**

Amended Sheets (Page 20 and 21)

As enclosed to IPRP

1. An alkoxyate mixture comprising alkoxyates of the formula (I)

5



where

10 A is ethyleneoxy,

B propyleneoxy

groups A and B being present in the form of blocks in the stated sequence,

15

p is a number from 0 to 5,

n is a number from 0.25 to 10,

m is a number from 2 to 10,

q is a number from 1 to 5,

20

from 70 to 99% by weight of alkoxyates A1, in which C_5H_{11} is $n\text{-C}_5\text{H}_{11}$,
and

25

from 1 to 30% by weight of alkoxyates A2, in which C_5H_{11} is
 $\text{C}_2\text{H}_5\text{CH}(\text{CH}_3)\text{CH}_2$ and/or $\text{CH}_3\text{CH}(\text{CH}_3)\text{CH}_2\text{CH}_2$,
being present in the mixture.

2. An alkoxyate mixture according to claim 1, wherein C_3H_7 is $n\text{-C}_3\text{H}_7$.

30 3. An alkoxyate mixture according to claim 1 or 2, wherein, in the formula
(I), p is a number from 0.5 to 5.

4. An alkoxyate mixture according to any of claims 1 to 3, wherein from 85
to 96% by weight of alkoxyates A1 and from 4 to 15% by weight of
35 alkoxyates A2 are present.

5. A process for the preparation of an alkoxylate mixture according to any of claims 1 to 4 by reacting the alcohol mixture with C₂₋₅-alkylene oxides under alkoxylation conditions.
- 5 6. A process for the preparation of an alkoxylate mixture according to claim 5, wherein the alkoxylation is carried out in the presence of a double metal cyanide compound as a catalyst.
7. The use of an alkoxylate mixture according to any of claims 1 to 4 as an
10 emulsifier, foam regulator and wetting agent for hard surfaces.
8. The use according to claim 7 in detergents, surfactant formulations for cleaning hard surfaces, humectants, cosmetic, pharmaceutical and crop protection formulations, finishes, coating materials, adhesives, leather
15 fatliquoring agents, formulations for the textile industry, fiber processing, metal processing, food industry, water treatment, paper industry, fermentation or mineral processing, in emulsion polymerizations and as additives or starting materials for the preparation of additives for mineral building materials.
- 20 9. A detergent, cleaning agent, wetting agent, coating material, adhesive, leather fatliquoring agent, humectant or textile treatment composition, additive for mineral building materials or cosmetic, pharmaceutical or crop protection formulation containing an alkoxylate mixture according to any of
25 claims 1 to 4.